

FEB 10 1986

response due
2/27/86

SHE-12

he rec'd 2/18/86
responded - phone 2/21/86
- letter 2/24/86 - rec'd 2/27/86
- letter 3/5/86 - rec'd 3/6/86

"F. G. O. Axce
General Manager
Myronette Works
P.I.S.C. Myronette Corporation
3111 E. Middle Avenue
Lansing, Michigan 48102

Re: RACI-EPT Site Consent Decree Civil Action #D-73890

Dear Mr. Axce:

Based on a review of the requirements of the above referenced Consent Decree, the following deficiencies are noted:

Pursuant to Section V.C.2. of the referenced Consent Decree, inspections of the Site are required to be done once every three (3) months. Pursuant to V.C.3.a., an inspection report is due within fourteen (14) days to EPA and MDNR. The first inspection was made on September 18, 1985. The following inspection should have been done by December 18, 1985 and the inspection report sent by January 1, 1986. This report has not been received.

rec'd 2/27/86
2/21/86
Responded
2/21/86

Pursuant to Section V.B.5., "...PWC may, after three (3) years, discontinue sampling of any well when that well produces an insufficient quantity of water for all analyses for six (6) consecutive sampling periods". According to your October 2, 1985 submittal of the groundwater sample results, two wells, numbered 7 and 8, were plugged. This action conflicts with the requirements of the Consent Decree.



Would you please reply, in writing, within fourteen (14) days outlining the actions taken in response to the above? In addition, would you please send a copy of the boring logs from the monitor wells construction and the results from testing the clay cap for permeability and soil moisture and compaction. Your prompt response will be appreciated. Should you have any questions please don't hesitate to call me at (312) 275-5195.

need
2/27/86

Thankfully,

Donald J. Eleder
Superfund Project Manager

bcc: Dan Rekar, DRC
Frank Selebraidich, MDR
Leonard Lipinski, DMR

SELEDER:CERCLA: sai #3 2/6/86

TBO 2/1/86